

**Highlight
Your Brilliance!**

**Car Polishes
that inspire**

Available at:



menzerna
polishing compounds

menzerna polishing compounds

GmbH & Co. KG

Industriestraße 25

D-76470 Ötigheim


Phone: +49 (0)7222 / 9157-0


Fax: +49 (0)7222 / 9157-810


office@menzerna.com


www.menzerna.com

Latest update: 09.2023

 @menzerna.global

 @menzerna.global

 menzerna

 Menzerna Polishing Compounds


Your Partner for Perfection.

The Utmost in Polishing Expertise

For perfect polishing, we always go the extra mile. With our innovative mixtures and polishing processes, we ensure that you achieve premium results economically and safely. Above-average investment in research and development makes us the technology leader in the polish industry and an ideal partner for industry and trade.

Focused on Your Success


The best polish for nearly every surface – this is the result of our consistent focus on polishing technology. We are familiar with the characteristics and peculiarities of various applications and materials down to the finest detail. Customers can rely on us to meet their requirements thanks to close collaboration with leading customers from the paint and automotive industries as well as a comprehensive distribution network.



Research and Development
We develop high-performance formulations in our laboratory.



Large-Scale Production
Complex batch production of the highest quality and adherence to deadlines.



Special Formulas
With hundreds of specially developed formulas, we offer tailor-made products for any task and any surface.



Process Development
Systematic optimization of your polishing processes.



Industry Expertise
Consistently high surface quality with economical consumption.



Automotive Expertise
Unbeatable expertise for automotive manufacturers, suppliers, and detailing professionals.

Specialist



Our Expertise – Your Added Value.

High Performance for the Automotive Industry and Aftermarket Professionals

For polishes that inspire and impress, we develop and produce the most innovative polishing technology. Menzerna polishing compounds meets the highest industrial standards in automotive plants all over the world. Professionals benefit from this whenever they use our products to shine, polish, maintain, repair and protect cars.

The complete and sophisticated range of polishing products is precisely tailored to the needs and challenges of the automotive industry. Polishing compounds and accessories from Menzerna make long-lasting, brilliant polishes possible, even when working quickly with low material consumption.

- Process orientation according to industry standards
- One-step products for efficient work
- Guidance for the user throughout the polishing process
- Maintains the value of the car's paint
- True polishing results without the use of silicones and fillers
- Range of water-based polishes
- Healthy and pleasant working with VOC-free* polishes



Perfection in Polishing

* VOC-free means free of Volatile Organic Compounds (VOC) in Acc. with DIN EN ISO 11890-2.

Greater Polishing Performance for Cars

Greater Polishing Performance

Always the best solution – for every user, every step of the way. That is what our full range of polishing technology offers the automotive industry. From highly abrasive grind polishes to long-lasting sealants, our products are designed systematically as a coordinated range. Our powerful products and structured processes help you save time and money, which helps you achieve efficient and brilliant polishes.



THE FIRST CHOICE FOR:



- Automobile manufacturers
- Automotive suppliers



- Detailers
- Car lovers



- Body/paint shops




- Car workshops

- Removal of scratches, varnish runs, spray, smears, shading, and holograms
- Adjustment of paint finishes
- Creation of various degrees of gloss up to show-car finish
- Refurbishing of surfaces

Industry Expertise



Healthy and pleasant working, with innovative polishes.



The Menzerna GREEN LINE products protect the health of the user and protect the environment.

The VOC-free* abrasive polishes meet the stringent criteria of DIN EN ISO 11890-2, as they contain no aggressive, highly volatile solvents. Professional users in industry and trades value the far more comfortable processing offered by the Menzerna GREEN LINE product range, which represents perfection in polishing.

- ✓ **HEALTHY:** free from unpleasant, harmful solvent vapors and odors
- ✓ **COMFORTABLE:** significantly more comfortable to work with
- ✓ **ENVIRONMENTALLY FRIENDLY:** emission-free

VOC-free* abrasive polishes compared to standard products

	Conventional abrasive polishes	VOC-free* abrasive polishes
Without solvent odor	✗	✓
Comfortable working	✗	✓
No risk to health	✗	✓
No damage to the environment	✗	✓
High abrasion	✓	✓



VOC-FREE*

In Acc. with DIN EN ISO 11890-2

Technology leader


* VOC-free means free of Volatile Organic Compounds [VOC] in Acc. with DIN EN ISO 11890-2.

Super Heavy Cut Compound 300

GREEN LINE

High performance compound for maximum abrasion without hazardous solvents.

This VOC-free* high-performance compound leads the field in the removal of sanding marks. Healthier and more comfortable working in professional paintwork applications. Removes 1500 grit sanding marks and signs of use in the shortest time.



Volumes:	250 ml	22201.281.001
	1 l	22201.261.001

Heavy Cut Compound 400

GREEN LINE

Polishes and creates gloss in one step, VOC-free*.

The innovative cut compound for automotive clear coats leaves a dazzling impression everywhere. Gets sanding marks out of the way in record time and works into the finish range - without aggressive, volatile solvents.



Volumes:	250 ml	22200.281.001
	1 l	22200.261.001

Advantages:

- Extremely high abrasion
- Extremely fast removal of sanding marks
- High yield
- High-gloss Finish (HCC400 GREEN LINE)
- No dust formation
- VOC-free* in according with DIN EN ISO 11890-2
- Free from unpleasant solvent odors
- Easy to handle
- Silicone free

Polishing tool: **HEAVY CUT FOAM PAD,**
Lambswool Pad, Orbital Wool Pad



Processing: Rotary, Orbital



VOC-FREE*

In Acc. with DIN EN ISO 11890-2

* VOC-free means free of Volatile Organic Compounds (VOC) in Acc. with DIN EN ISO 11890-2.

Heavy Cut Compound 400

Performance Compound

Polishes to gloss in just one process step.

The innovative cut compound for automotive clear coats leaves a dazzling impression everywhere. Gets sanding marks out of the way in record time. Works into the finish range thanks to the latest polishing technology with diminishing abrasives.

Cut: 

Gloss: 



Advantages:

- Polishes and produces gloss in one step
- Saves time thanks to one-step polishing process
- High efficiency
- High gloss level
- Silicone free

Polishing tool:

HEAVY CUT FOAM PAD,
Lambswool Pad, Orbital Wool Pad



Processing:

Rotary: increasing
(start: 800-1500 rpm, end: 1800-2000 rpm)
Orbital: increasing
(start: low speed, end: high speed)
Pressure: medium

Volumes: 250 ml 22202.281.001
1 l 22202.261.001

Process Example:

HEAVY CUT COMPOUND 400 >> **SUPER FINISH 3800** >> **POWER LOCK ULTIMATE PROTECTION**

Product video:



IMPROVED FORMULATION

Cut Force Pro

Speed Compound & Finish

Detailing in a new dimension.

The high-performance polish of the extra class, which removes even the most stubborn scratches, grinding and use marks at top speed. sets new standards in paint repair and makes heavily stressed clearcoats shine again



Advantages:

- Very fast removal of sanding marks
- Produces maximum gloss
- High yield
- Easy application
- Easy processing
- No dust formation
- Without solvent odor
- Silicone-free
- Without hazard labeling
- More pleasant to work with

Polishing tool: **HEAVY CUT FOAM PAD,**



Processing: Rotary: increasing
(start: 800-1500 rpm, end: 1800-2000 rpm)
Orbital: increasing
(start: low speed, end: high speed)
Pressure: medium

Volumes: 250 ml 22203.281.001
1 l 22203.261.001

Process Example:



Product video:



**INCREDIBLE
CUT & GLOSS**

One-Step Polish 3 in 1

Cut, Gloss & Wax

Medium cut polish, high-gloss finish and sealant in one.

The all-rounder in top form. Reliably removes streaks, swirls and clouding, and provides lasting protection for the high-gloss surface. Shines with ease and speed, making it ideal for the polishing beginner and for the detailing of employee cars and used vehicles.

Cut:



Gloss:



Advantages:

- One-step polishing process: Polish, finish, sealant
- Fast deep gloss finish
- Silicone free
- Overpaintable

Polishing tool*:

MEDIUM CUT FOAM PAD, SOFT CUT FOAM PAD, WAX FOAM PAD, Microfiber cloth



Processing:

Rotary: decreasing
(start: 1250-1500 rpm, end: 500-800 rpm)
Orbital: decreasing
(start: medium speed, end: low speed)
By hand: circular movement
Pressure: low

Volumes: 250 ml 22748.281.001
1 l 22748.261.001

Process Example:

SUPER HEAVY CUT COMPOUND 300 GREEN LINE >> **ONE-STEP POLISH 3 IN 1** >> **ENDLESS SHINE**

Product video:



Power Protect Ultra 2 in 1

High-Gloss Finish & Wax

2 in 1: Silicone-free coating sealant and a high-gloss finish.
Ultimate performance that goes the distance: Removes fine streaks and holograms in addition to forming a protective film that counteracts the adhesion of dirt.

Cut: 
Gloss: 



- Advantages:**
- 100 % silicone free, overpaintable
 - 2 in 1: High-gloss polish and sealant in one product
 - Tangibly smoother surface
 - Perfect water-beading

Polishing tool*: **SOFT CUT FOAM PAD, WAX FOAM PAD,**
Microfiber cloth



Processing: Orbital: decreasing
(start: medium speed, end: low speed)
By hand: circular movement
Pressure: very low

Volumes: 250 ml 22753.281.001
1 l 22753.261.001

Process Example:

HEAVY CUT COMPOUND 400 >> **POWER PROTECT ULTRA 2 IN 1**

Product video:



PAINT SHOP
SAFE

Heavy Cut Compound 1000

Pad polish for the fast removal of sanding marks.

This powerhouse eliminates scratches, overspray and pronounced signs of use quickly and thoroughly. Best price-performance ratio.

Category: Standard

Cut: 
Gloss: 

- Advantages:**
- Fast removal of sanding marks
 - Even sanding pattern
 - High productivity
 - No dust formation
 - Silicone free

Polishing tool: **HEAVY CUT FOAM PAD**



Processing: Rotary: 800 rpm
Orbital: low speed
Pressure: medium



Volumes: 250 ml 22984.281.001
1 l 22984.261.001

Process Example:

HEAVY CUT COMPOUND **1000** >> MEDIUM CUT POLISH **2000** >> FINAL FINISH **3000** >> POWER LOCK ULTIMATE PROTECTION

Heavy Cut Compound 1100

Lambswool polish for the removal of sanding marks.

The gentle yet highly effective secret weapon against scratches and severe signs of use. Optimized for use with lambswool.

Category: Alternative

Cut: 
Gloss: 

- Advantages:**
- Fast removal of sanding marks
 - Optimized formulation for use on Lambswool
 - Even sanding pattern
 - High productivity
 - No dust formation
 - Silicone free

Polishing tool: Lambswool Pad



Processing: Rotary: 500-800 rpm
Pressure: medium



Volumes: 250 ml 22930.281.001
1 l 22930.261.001

Process Example:

HEAVY CUT COMPOUND **1100** >> MEDIUM CUT POLISH **2400** >> FINAL FINISH **3000** >> POWER LOCK ULTIMATE PROTECTION

Medium Cut Polish 2000

The classic medium polish for the fast removal of signs of use.

A solid basis for a fast victory. Reliably removes signs of use and delivers shine. Best price-performance ratio.

Category: Standard

Cut: 
Gloss: 

Advantages:

- Even polishing pattern
- Silicone free

Product video:



Polishing tool: MEDIUM CUT FOAM PAD 

Processing: Rotary: 1250 rpm
Orbital: medium speed
Pressure: low

Volumes: 250 ml 22106.281.001
1 l 22106.261.001

Process Example:

HEAVY CUT COMPOUND **1000** >> MEDIUM CUT POLISH **2000** >> FINAL FINISH **3000** >> POWER LOCK ULTIMATE PROTECTION

<< Medium Cut Standard Polish

MENZERNA OPTIONS:

For improved agility

For more gloss



Medium Cut Polish 2400

The liquid alternative for easy handling.

The best solution for liquid application to older and dry coating systems. Improved agility ensures easy handling and brilliant results.

Category: Alternative

Cut: 
Gloss: 

- Advantages:**
- Liquid formulation is ideal for working on older and dry surfaces
 - Silicone free

Polishing tool: MEDIUM CUT FOAM PAD 

Processing: Rotary: 1250 rpm
 Orbital: medium speed
 By hand: circular movement
 Pressure: low

Volumes: 250 ml 22923.281.001
 1 l 22923.261.001

Process Example:

HEAVY CUT COMPOUND 1100 » MEDIUM CUT POLISH 2400 » FINAL FINISH 3000 » POWER LOCK ULTIMATE PROTECTION



Medium Cut Polish 2500

The dazzling alternative for the fast removal of sanding marks.

Offers an optimum combination with the removal of sanding marks and gloss production on automotive clear coats. Extraordinary gloss inclusive.

Category: Alternative

Cut: 
Gloss: 

- Advantages:**
- Even polishing pattern
 - Extraordinary gloss
 - Silicone free

Polishing tool: MEDIUM CUT FOAM PAD 

Processing: Rotary: 1250-1500 rpm
 Orbital: medium speed
 Pressure: low

Volumes: 250 ml 22828.281.001
 1 l 22828.261.001

Process Example:

HEAVY CUT COMPOUND 1100 » MEDIUM CUT POLISH 2500 » SUPER FINISH 3500 » POWER LOCK ULTIMATE PROTECTION



Final Finish 3000

Classic swirl remover for a perfect gloss.

The standard high-gloss polish is absolutely reliable in the removal of polishing marks, clearing the way for a brilliant gloss.

Category: Standard

Cut : 

Gloss: 

- Advantages:**
- Fine abrasives for removing fogging and holograms
 - Brilliant gloss
 - Silicone free

Product video:



Polishing tool: **SOFT CUT FOAM PAD,**
Microfiber cloth



Processing: Orbital: high speed
By hand: circular movement
Pressure: very low

Volumes: 250 ml 22029.281.001
1 l 22029.261.001

Process Example:

MEDIUM CUT POLISH 2500 >> **FINAL FINISH 3000** >> **POWER LOCK ULTIMATE PROTECTION**

Standard Finish

MENZERNA OPTIONS:

For a perfect mirror finish

For an ultimate high definition gloss



Super Finish 3500

Swirl remover for a perfect mirror finish.

The master of all classes removes polishing marks, micro-scratches and holograms, guaranteeing a brilliant deep gloss.

Category: Alternative

Cut: 
Gloss: 

- Advantages:**
- Finest abrasives for removing fogging and holograms
 - Brilliant deep gloss
 - Silicone free

Polishing tool: **SOFT CUT FOAM PAD,**
Microfiber cloth



Processing: Orbital: high speed
By hand: circular movement
Pressure: very low



Volumes: 250 ml 22911.281.001
1 l 22911.261.001

Process Example:



Super Finish Plus 3800

Show car finish for the ultimate deep gloss.

Removes polishing marks, micro-scratches and holograms in a brilliant performance with genuine star qualities.

Category: Alternative

Cut: 
Gloss: 

- Advantages:**
- Finest abrasives for removing fogging on holograms
 - Show car finish
 - Silicone free

Polishing tool: **SOFT CUT FOAM PAD,**
Microfiber cloth



Processing: Orbital: high speed
By hand: circular movement
Pressure: very low



Volumes: 250 ml 22992.281.001
1 l 22992.261.001

Process Example:



Power Lock Ultimate Protection

Polymer coating sealant for all automotive clear coats.

The long-haul specialist acts as a lasting sealant, reliably protecting against environmental influences with an unrivaled beading effect and ultimate deep gloss.

Category: Standard

- Advantages:**
- Sealing technology of the latest generation
 - Extremely long service life
 - Maximum protection against environmental influences
 - Premium beading behavior
 - Protects the vehicle's value

Product video:



Polishing tool: **WAX FOAM PAD,**
Microfiber cloth



Processing: Orbital: low speed
By hand: circular movement
Pressure: very low

Volumes: 250 ml 22070.281.001
1 l 22070.261.001

Process Example:

HEAVY CUT COMPOUND 400 >> **SUPER FINISH 3800** >> **POWER LOCK ULTIMATE PROTECTION**

« Sealing Recommendation

MENZERNA OPTIONS:

For tangible
smooth
surfaces



Standard
Protection



Universal
Spray
Sealant



Liquid Carnauba Protection

Natural sealing blend for surface enthusiasts.

Long-lasting, functional protection combined with a soft, natural feel and brilliant deep gloss. Developed for perceptibly smoother surfaces.

Category: Alternative

- Advantages:**
- High-quality carnauba wax
 - Very high wax content
 - Hydrophobic surface
 - Very good drop formation
 - Soft surface feel
 - Ultimate deep gloss
 - For machine and manual processing


Polishing tool: **WAX FOAM PAD,**
Microfiber cloth

Processing: Orbital: low speed
By hand: circular movement
Pressure: very low

Volumes: 250 ml 22068.281.001
1 l 22068.261.001

Process Example:

HEAVY CUT COMPOUND 400 >> **SUPER FINISH 3800** >> **LIQUID CARNAUBA PROTECTION**



Sealing Wax Protection

Standard coating sealant.

Produces a deep gloss and brilliance on the coating surface. Builds up a protective film that counteracts the adhesion of dirt.

Category: Alternative

- Advantages:**
- Reliable basic protection
 - Straightforward processing

Polishing tool: **WAX FOAM PAD,**
Microfiber cloth

Processing: Orbital: low speed
By hand: circular movement
Pressure: very low

Volumes: 250 ml 22870.281.001
1 l 22870.261.001

Process Example:

HEAVY CUT COMPOUND 1000 >> **MEDIUM CUT POLISH 2000** >> **FINAL FINISH 3000** >> **SEALING WAX PROTECTION**



Ceramic Spray Sealant

Spray sealant with a very high water-repellent effect.

Long-lasting, protects the surface from environmental influences and deposits, facilitates cleaning. Unbeatable product for every user in all areas of detailing due to simple and quick application

Category: Alternative

- Advantages:**
- Effective, universal spray sealant for all vehicles
 - Easy and fast application
 - Very high-water repellency (beading & sheeting)
 - Strong dirt repellency
 - Perfect finish
 - Ultimate deep gloss
 - Service life: 3 months

Tool: Microfiber cloth

- Application:**
1. Spray two to three sprays onto the microfiber cloth (blue)
 2. Spread with the microfiber cloth on the surface to be sealed
 3. Remove residues after application with the dry side of the microfiber cloth

Volumes: 500 ml 26919.271.001

Process Example:

HEAVY CUT COMPOUND **400** >> SUPER FINISH **3800** >> CERAMIC SPRAY SEALANT

Product video:



PERFECT FINISH

Metal Polish

Universal Polishing Cream.

Metal Polish cleans and polishes stainless steel, aluminum, chrome, brass, copper, silver and plastics. Perfect gloss for exhaust, radiator grille, decorative strips, rims etc. Also perfect on domestic and leisure parts like cutlery, sanitary fittings, metal instruments etc.

Advantages:

- Versatile
- Perfect gloss

Polishing tool: Microfiber cloth

Processing:

1. Apply by hand with microfiber
2. Polish with circular movements
3. Remove residue with a clean, soft cloth

Volumes: 125 g 23003.391.001



Control Cleaner

Cleaning spray for especially thorough polishing.

The ultimate pre-cleaner to support the visual inspection of the coating surface being worked on. Removes polish residues, grease and contaminants prior to sealing.

Advantages:

- Cleans without streaks
- Remove all traces of polishing residues and grease
- Perfect wiping

Tool: Microfiber cloth

Processing: By hand

Volumes: 500 ml 26934.271.001
5 l 26934.251.001



Process Example:

CONTROL CLEANER >> POLISHING >> **CONTROL CLEANER** >> SEALING

Endless Shine

Detailing spray to refresh the gloss.

Wellness program for all smooth surfaces like clear coat, glass, plastic or metal. Applies a protective film to the coating with a beautiful, deep gloss – including premium beading effect.

Advantages:

- Refreshes protection and gloss
- Long-lasting sealant
- Perfect water-beading properties
- Leaves behind no marks on plastic
- Versatile: can be used after washing or after polishing
- Dirt- and dust-repellent coating
- No added waxes or fillers



Tool: Microfiber cloth

Processing:

1. Spray Menzerna Endless Shine onto the coated surface.
2. Work in the quick detailer using circular motions.
3. Use another clean microfiber cloth to dry the surface.

Volumes: 500 ml 22747.271.001

Process Example:

POLISHING/ SEALING >> **ENDLESS SHINE**

Other accessories

If no polishing machine is available, the ergonomic Menzerna hand polishing applicator or the adapter for a standard drill can be used to work with Menzerna high-performance polishes. The perfect polishing result is completed with Menzerna microfiber cloths.

Hand Polishing Applicator

Volume: 95 mm/3,5"
Item no; 26912.099.001



Polishing Adapter for Drilling Machines

EU Thread: 26916.099.001
US Thread: 26916.099.133



Standard Microfiber Cloth

Measures: 40 x 40 cm/15 x 15"
Item no; 26924.099.001



Premium Microfiber Cloth

Measures: 40 x 40 cm/15 x 15"
Item no; 26923.099.001



Premium Backing Plate

Volumes: 75 mm/ 3"
Item no; 26934.099.001 (EU Thread)
26934.099.133 (US Thread)

123 mm/ 5"
26931.099.001 (EU Thread)
26931.099.133 (US Thread)

148 mm/ 6"
26935.099.001 (EU Thread)
26935.099.133 (US Thread)



Merchandise

No matter if hoodie, T-shirt, cap or banner - the special quality of the Menzerna merchandise range is impressive. High-quality fabrics and fresh prints ensure a stylish image. Whether during car detailing or in your free time - "Perfection in Polishing" - is a way of life.

Menzerna Banner white

Size: 100 x 50 cm
Item no; 26851.097.001



Menzerna Banner red

Size: 100 x 50 cm
Item no; 26850.097.001



Menzerna Snapback-Cap

Size: Unisex
Item no; 26875.100.001



Menzerna T-Shirt

Size: S-XXL
Item no; 26860.100.001 (Small)
26860.101.001 (Medium)
26860.102.001 (Large)
26860.103.001 (X-Large)
26860.104.001 (XX-Large)



Menzerna Hoodie

Size: S-XXL
Item no; 26870.100.001 (Small)
26870.101.001 (Medium)
26870.102.001 (Large)
26870.103.001 (X-Large)
26870.104.001 (XX-Large)



Pad Program

The pads in different levels of hardness are optimally matched to the Menzerna polishes. The safety edge protects against damage from the backing plates. The washable foams adapt perfectly to the surface.

- Advantages:**
- Washable
 - Safety edge
 - High quality Velcro
 - Comfortable application
 - Durable, long-lasting foam

Application: Rotary, orbital, by hand

Volume: 95 mm / 3,5"
150 mm / 6"
180 mm / 7"

Product information: For unbeatable abrasion, the Menzerna Lambswool Polishing Pads in combination with the Menzerna sanding polishes ensure incredible results. The high quality lambswool pads are available in different sizes. We offer lambswool polishing pads for rotary and orbital polishing machines.

Products

Products	75 mm / 3"	123 mm / 5"	148 mm / 6"	Recommended use
Premium Backing Plates	26934.099.001	26931.099.001	26935.099.001	Rotary
Premium Foam Polishing Pads	95 mm / 3,5"	150 mm / 6"	180 mm / 7"	Rotary, Orbital
Heavy Cut Foam Pad	26907.099.001	26900.224.010	26901.099.001	
Medium Cut Foam Pad	26908.099.001	26900.224.011	26902.099.001	
Soft Cut Foam Pad	26909.099.001	26900.224.012	26903.099.001	
Wax Foam Pad	26910.099.001	26900.224.013	26904.099.001	
Standard Foam Polishing Pads		150 mm / 6"		Rotary
Pad Hard White		26900.223.002		
Pad Medium Yellow		26900.223.003		
Pad Soft Black		26900.223.004		
Orbital Wool Pads	90 mm / 3,5"	140 mm / 5,5"	165 mm / 6,5"	Orbital
	26913.099.001	26914.099.001	26915.099.001	
Premium Lambswool Pad		150 mm / 6"		Rotary
		26917.099.001		
Crater Shaped Lambswool Pad			230 mm / 9"	Rotary
			26906.099.001	
Double Sided Lambswool Pad			230 mm / 9"	Rotary
			26918.099.001 EU Thread	
Adapter			26918.099.133 US Thread	



Optimised for:

HEAVY CUT FOAM PAD

**SUPER
HEAVY CUT
COMPOUND
300**

**HEAVY
CUT
COMPOUND
400**

**HEAVY
CUT
COMPOUND
1000**



Optimised for:

MEDIUM CUT FOAM PAD

**MEDIUM
CUT
POLISH
2000**

**MEDIUM
CUT
POLISH
2400**

**MEDIUM
CUT
POLISH
2500**



Optimised for:

SOFT CUT FOAM PAD

**FINAL
FINISH
3000**

**SUPER
FINISH
3500**

**SUPER
FINISH PLUS
3800**



Optimised for:

WAX FOAM PAD

**POWER LOCK
ULTIMATE
PROTECTION**

**LIQUID
CARNAUBA
PROTECTION**

**SEALING
WAX
PROTECTION**



- Premium Backing Plates
- Lambswool Pads
- Orbital Wool Pads

Menzerna:
Economical, reliable and flexible
in application. Brilliant.

The Menzerna polishing program is designed as a flexible
4-step polishing system.

Confidence in success

A standard product is assigned to each of the four polishing levels – Heavy Cut, Medium Cut, Finish and Protection. Together these products form the Menzerna standard process, which is considered as recommendation. Numerous application cases are securely covered in practice with this process.

Quality through flexibility

Alternative and special products are available for each polishing level – to meet the needs of special application cases, or for even greater performance. All Menzerna products are matched to each other so that the interplay works 100 % at all times even when standard products are exchanged.

The latest polishing technologies for working efficiently

Many years of experience and close cooperation with the automobile industry and leading coating manufacturers ensure economic efficiency and fast processes. This is where the specialty products, identified by the silver label, truly come into their own. Multiple polishing steps are covered by the latest polishing technologies.

At a glance:
The Menzerna Polishing Program

STANDARD PRODUCTS

- For all common applications
- Guaranteed results in Menzerna quality

ALTERNATIVE PRODUCTS

- For non-standard applications
- To meet special requirements for the final result
- Perfect for use on dry, aged surfaces

SPECIAL PRODUCTS

- Covers multiple polishing step with one product
- Offers premium performance
- VOC-free* abrasive polishes

HEAVY CUT
Polish with strong abrasion

MEDIUM CUT
Polish with medium abrasion

FINISH
Swirl remover

PROTECTION
Sealant, wax

ACCESSORY

HEAVY CUT COMPOUND 1000

MEDIUM CUT POLISH 2000

FINAL FINISH 3000

POWER LOCK ULTIMATE PROTECTION

METAL POLISH

HEAVY CUT COMPOUND 1100

MEDIUM CUT POLISH 2400

SUPER FINISH 3500

LIQUID CARNAUBA PROTECTION

CONTROL CLEANER

MEDIUM CUT POLISH 2500

SUPER FINISH PLUS 3800

SEALING WAX PROTECTION

ENDLESS SHINE

CERAMIC SPRAY SEALANT

SUPER HEAVY CUT COMPOUND 300 GREEN LINE

POWER PROTECT ULTRA 2 IN 1

HEAVY CUT COMPOUND 400 / HEAVY CUT COMPOUND 400 GREEN LINE

CUT FORCE PRO

ONE-STEP POLISH 3 IN 1

PREMIUM PAD PROGRAM

HEAVY CUT FOAM PAD

MEDIUM CUT FOAM PAD

SOFT CUT FOAM PAD

WAX FOAM PAD



Note:
In the Menzerna process flyers, users will find system recommendations for the fields of vehicle detailing, vehicle coating, finishing and care. www.menzerna.com

*VOC-free means free of Volatile Organic Compounds (VOC) in Acc. with DIN EN ISO 11890-2.

Polished surfaces
that make an impression.

Since 1888.

